

## Blood Alcohol Content (BAC)

- Afia, A., & Hassiotis, A. (2006). Alcohol misuse: Diagnosis and management. *British Journal of Hospital Medicine*, 67(10), M182-5.
- Allen, A. J., Meda, S. A., Skudlarski, P., Calhoun, V. D., Astur, R., Ruopp, K. C., & Pearlson, G. D. (2009). Effects of alcohol on performance on a distraction task during simulated driving. *Alcoholism: Clinical and Experimental Research*, 33(4), 617-625.
- Angres, D. H., & Bettinardi-Angres, K. (2008). The disease of addiction: Origins, treatment, and recovery. *Disease-A-Month*, 54(10), 696-721.
- Aston, E. R., & Liguori, A. (Apr 2013). Self-estimation of blood alcohol concentration: A review. *Addictive Behaviors*, 38(4), 1944-1951.
- Babor, T. F., & Caetano, R. (2006). Subtypes of substance dependence and abuse: Implications for diagnostic classification and empirical research. *Addiction*, 101(Suppl 1), 104-110.
- Barry, A. E., Stellefson, M. L., PiazzaGardner, A. K., Chaney, B. H., & Dodd, V. (Aug 2013). The impact of pregaming on subsequent blood alcohol concentrations: An event-level analysis. *Addictive Behaviors*, 38(8), 2374-2377.
- Bates, M. E., Bowden, S. C., & Barry, D. (2002). Neurocognitive impairment associated with alcohol use disorders: Implications for treatment. *Experimental & Clinical Psychopharmacology*, 10(3), 193-212.
- Bates, M. E., & Martin, C. S. (1997). Immediate, quantitative estimation of blood alcohol concentration from saliva. *Journal of Studies on Alcohol*, 58(5), 531-538.

- BERRY, C., LEY, E. J., MARGULIES, D. R., MIROCHA, J., BUKUR, M., MALINOSKI, D., & SALIM, A. (2011). Correlating the blood alcohol concentration with outcome after traumatic brain injury: Too much is not a bad thing. *American Surgeon*, 77(10), 1416-1419.
- Bertholet, N., Winter, M. R., Cheng, D. M., Samet, J. H., & Saitz, R. (Jul-Aug 2014). How accurate are blood (or breath) tests for identifying self-reported heavy drinking among people with alcohol dependence? *Alcohol and Alcoholism*, 49(4), 423-429.
- Bond, J., Witbrodt, J., Ye, Y., Cherpitel, C. J., Room, R., & Monteiro, M. G. (Jul-Aug 2014). Exploring structural relationships between blood alcohol concentration and signs and clinical assessment of intoxication in alcohol-involved injury cases. *Alcohol and Alcoholism*, 49(4), 417-422.
- Brick, J., & Carpenter, J. A. (2001). The identification of alcohol intoxication by police. *Alcoholism: Clinical & Experimental Research*, 25(6), 850-855.
- Brick, J. (2006). Standardization of alcohol calculations in research. *Alcoholism: Clinical & Experimental Research*, 30(8), 1276-1287. doi:10.1111/j.1530-0277.2006.00155.x
- Bullers, S., & Ennis, M. (2006). Effects of blood-alcohol concentration (BAC) feedback on BAC estimates over time. *Journal of Alcohol and Drug Education*, 50(2), 66-87.
- Calafat, A., Fernández-Hermida, J. R., Becoña, E., Juan, M., Duch, M., del Rio, E. F., . . . Garcia-Toro, M. (2013). Blood alcohol level tests in nightlife recreational settings as a preventive tool. *Actas Espanolas De Psiquiatria*, 41(1), 10-16.
- Carey, K. B., & Hustad, J. T. P. (2002). Are retrospectively reconstructed blood alcohol concentrations accurate? preliminary results from a field study. *Journal of Studies on Alcohol*, 3, 162-166.

- Cole-Harding, S., & Wilson, J. R. (1987). Ethanol metabolism in men and women. *Journal of Studies on Alcohol*, 48(4), 380-387.
- Darke, S., Duflou, J., Torok, M., & Prolov, T. (Aug 2013). Characteristics, circumstances and toxicology of sudden or unnatural deaths involving very high-range alcohol concentrations. *Addiction*, 108(8), 1411-1417.
- Das, S. K., Dhanya, L., & Vasudevan, D. M. (2008). Biomarkers of alcoholism: An updated review. *Scandinavian Journal of Clinical & Laboratory Investigation*, 68(2), 81-92.
- Detting, A., Witte, S., Skopp, G., Graw, M., & Haffner, H. T. (2008). A regression model applied to gender-specific ethanol elimination rates from blood and breath measurements in non-alcoholics. *International Journal of Legal Medicine*,
- Dubowski, K. M. (2006). Time-of-test DUI laws vs. BAC extrapolation. Retrieved from <http://www.borkensteincourse.org/faculty%20documents/DubowskiTimeOfTest.pdf>
- Eliassen M, Rod MH, Flensburg-Madsen T, Petersen JH, Gronbaek M, & Tolstrup JS. (2014). The association between blood alcohol content and cheerfulness, focus distraction, and sluggishness among young adults attending high school parties. *Alcoholism: Clinical & Experimental Research*, 38(3), 826-833.
- Fell, J. C., & Voas, R. B. (Jun 2014). The effectiveness of a 0.05 blood alcohol concentration (BAC) limit for driving in the united states. *Addiction*, 109(6), 869-874.
- Fillmore, M. T., & Jude, R. (2011). Defining "binge" drinking as five drinks per occasion or drinking to a .08% BAC: Which is more sensitive to risk? *The American Journal on Addictions*, 20(5), 468-475.

Ford, M. M., Steele, A. M., McCracken, A. D., Finn, D. A., & Grant, K. A. (Nov 2013). The relationship between adjunctive drinking, blood ethanol concentration and plasma corticosterone across fixed-time intervals of food delivery in two inbred mouse strains. *Psychoneuroendocrinology*, 38(11), 2598-2610.

Franceski, T., Karlovic, D., KovakMufic, A., Madzarac, V., & Torre, R. (2010). The correlation of concentration of plasma lactates and blood alcohol concentration in patients acutely intoxicated by alcohol. *Alcoholism: Journal on Alcoholism and Related Addictions*, 46(1), 3-8.

Friedman, L. S. (2014). Complications associated with blood alcohol concentration following injury. *Alcohol*, 48(4), 391-400. doi:10.1016/j.alcohol.2014.01.008

Friedman, T. W., Robinson, S. R., & Yelland, G. W. (2011). Impaired perceptual judgment at low blood alcohol concentrations. *Alcohol*, 45(7), 711-718.  
doi:10.1016/j.alcohol.2010.10.007

Furlan, J. C., & Fehlings, M. G. (Jul 2013). Blood alcohol concentration as a determinant of outcomes after traumatic spinal cord injury. *European Journal of Neurology*, 20(7), 1101-1106.

Gamella, M., Campuzano, S., Manso, J., Rivera, G. G., López-Colino, F., Reviejo, A. J., & Pingarrón, J. M. (2014). A novel non-invasive electrochemical biosensing device for in situ determination of the alcohol content in blood by monitoring ethanol in sweat. *Analytica Chimica Acta*, 806, 1-7. doi:10.1016/j.aca.2013.09.020

Gilman, J. M., Ramchandani, V. A., Couss, T., & Hommer, D. W. (2012). Subjective and neural responses to intravenous alcohol in young adults with light and heavy drinking patterns. *Neuropsychopharmacology*, 37(2), 467-477.

- Grant, S. P., LaBrie, J. W., Hummer, J. F., & Lac, A. (2011). Underestimations of blood alcohol concentration predict event-specific negative consequences. *Substance use & Misuse, 46*(10), 1309-1317. doi:10.3109/10826084.2011.576374
- Hannuksela, M. L., Liisanantti, M. K., Nissinen, A. E., & Savolainen, M. J. (2007). Biochemical markers of alcoholism. *Clinical Chemistry & Laboratory Medicine, 45*(8), 953-961.
- Hawkins, E. J., Kivlahan, D. R., Williams, E. C., Wright, S. M., Craig, T., & Bradley, K. A. (2007). Examining quality issues in alcohol misuse screening. *Substance Abuse, 28*(3), 53-65.
- Hetzler, B. E., & Bauer, A. M. (2013). Interactions between mecamylamine and alcohol in long-evans rats: Flash-evoked potentials, body temperature, behavior, and blood alcohol concentration. *Progress in Neuro-Psychopharmacology & Biological Psychiatry, 43 Jun*, 29-39.
- Jones, A. W., & Pounder, D. J. (2008). Update on clinical and forensic analysis of alcohol. In S. B. Karch (Ed.), *Forensic issues in alcohol testing* (pp. 22-64). Boca Raton: CRC Press.
- Karch, S. B. (2008). *Forensic issues in alcohol testing*. Boca Raton: CRC Press.
- Keyes, K. M., & Hasin, D. S. (2008). Socio-economic status and problem alcohol use: The positive relationship between income and the DSM-IV alcohol abuse diagnosis. *Addiction, 103*(7), 1120-1130.
- Kriikku, P., Wilhelm, L., Jenckel, S., Rintatalo, J., Hurme, J., Kramer, J., . . . Ojanperä, I. (2014). Comparison of breath-alcohol screening test results with venous blood alcohol

concentration in suspected drunken drivers. *Forensic Science International*, 239, 57-61.  
doi:10.1016/j.forsciint.2014.03.019

Lahtia, R. A., Pitkaniemi, J., Jones, A. W., Sajantila, A., Poikolainen, K., & Vuoria, E. (2014). Cause and manner of death and phase of the blood alcohol curve. *Forensic Science International*, 244, 306-312. doi:10.1016/j.forsciint.2014.09.015

Launiainen T, & Ojanpera I. (2014). Drug concentrations in post-mortem femoral blood compared with therapeutic concentrations in plasma. *Drug Testing & Analysis*, 6(4), 308-316.

Lester, D., & Pandina, R. J. (1983). *How to use the alco-calculator*. New Brunswick, NJ: Alcohol Research Documentation, Inc.

Lyvers, M., Cholakians, E., Puorro, M., & Sundram, S. (2011). Beer goggles: Blood alcohol concentration in relation to attractiveness ratings for unfamiliar opposite sex faces in naturalistic settings. *Journal of Social Psychology*, 151(1), 105-112.  
doi:10.1080/00224540903366776

Marques, P., Tippetts, S., Allen, J., Javors, M., Alling, C., Yegles, M., . . . Wurst, F. (2010). Estimating driver risk using alcohol biomarkers, interlock blood alcohol concentration tests and psychometric assessments: Initial descriptives. *Addiction*, 105(2), 226-239.

Martin, T. L., Solbeck, P. A. M., Mayers, D. J., Langille, R. M., Buczek, Y., & Pelletier, M. R. (2013). A review of alcohol-impaired driving: The role of blood alcohol concentration and complexity of the driving task. *Journal of Forensic Sciences (Wiley-Blackwell)*, 58(5), 1238-1250. doi:10.1111/1556-4029.12227

Maudens, K. E., Patteet, L., van Nuijs, Alexander L. N., Broekhoven, C. V., Covaci, A., & Neels, H. (2014). The influence of the body mass index (BMI) on the volume of

distribution of ethano. *Forensic Science International*, 243, 74-78.

doi:10.1016/j.forsciint.2014.04.036

Mitchell MC Jr, Teigen EL, & Ramchandani VA. (2014). Absorption and peak blood alcohol concentration after drinking beer, wine, or spirits. *Alcoholism: Clinical & Experimental Research*, 38(5), 1200-1204.

Modig, F., Fransson, P., Magnusson, M., & Patel, M. (2012). Blood alcohol concentration at 0.06 and 0.10% causes a complex multifaceted deterioration of body movement control. *Alcohol*, 46(1), 75-88. doi:10.1016/j.alcohol.2011.06.001

Nicholson, M. E., Wang, M., Airhihenbuwa, C. O., Mahoney, B. S., Christina, R., & Maney, D. W. (1992). Variability in behavioral impairment involved in the rising and falling BAC curve. *Journal of Studies on Alcohol*, 53(4), 349-356.

Nogueira, L. C., Couri, S., Trugo, N. F., & Lollo, P. C. B. (2014). The effect of different alcoholic beverages on blood alcohol levels, plasma insulin and plasma glucose in humans. *Food Chemistry*, 158, 527-533. doi:10.1016/j.foodchem.2014.02.097

Olson, K. N., Smith, S. W., Kloss, J. S., Ho, J. D., & Apple, F. S. (Jul-Aug 2013). Relationship between blood alcohol concentration and observable symptoms of intoxication in patients presenting to an emergency department. *Alcohol and Alcoholism*, 48(4), 386-389.

Patel, M., Modig, F., Magnusson, M., & Fransson, P. A. (2010). Alcohol intoxication at 0.06 and 0.10% blood alcohol concentration changes segmental body movement coordination. *Experimental Brain Research*, 202(2), 431-443.

- Pavlic, M., & Grubwieser, P. (2005). Breath and blood alcohol. In V. R. Preedy, & R. R. Watson (Eds.), *Comprehensive handbook of alcohol related pathology* (pp. 77-86). Boston: Elsevier Academic Press.
- Pavlic, M., Grubwieser, P., Libiseller, K., & Rabl, W. (2007). Elimination rates of breath alcohol. *Forensic Science International*, *171*(1), 16-21.
- Phillips, D. P., & Brewer, K. M. (2011). The relationship between serious injury and blood alcohol concentration (BAC) in fatal motor vehicle accidents: BAC = 0.01% is associated with significantly more dangerous accidents than BAC = 0.00%. *Addiction*, *106*(9), 1614-1622. doi:10.1111/j.1360-0443.2011.03472.x
- Posey, D., & Mozayani, A. (2007). The estimation of blood alcohol concentration: Widmark revisited. *Forensic Science, Medicine, and Pathology*, *3*(1), 33-39.
- Quigg, Z., Hughes, K., & Bellis, M. A. (Dec 2013). Student drinking patterns and blood alcohol concentration on commercially organised pub crawls in the UK. *Addictive Behaviors*, *38*(12), 2924-2929.
- Romano, E., TorresSaavedra, P., Voas, R. B., & Lacey, J. H. (Jan 2014). Drugs and alcohol: Their relative crash risk. *Journal of Studies on Alcohol and Drugs*, *75*(1), 56-64.
- Samet, S., Waxman, R., Hatzenbuehler, M., & Hasin, D. S. (2007). Assessing addiction: Concepts and instruments. *Addiction Science & Clinical Practice*, *4*(1), 19-31.
- Schwartz, J., & Davaran, A. (Oct 2013). Enforcement following 0.08% BAC law change: Sex-specific consequences of changing arrest practices? *Addictive Behaviors*, *38*(10), 2506-2512.



- Sharma, K., Sharma, S. P., & Lahiri, S. C. (2010). Estimation of blood alcohol concentration by horizontal attenuated total reflectance-fourier transform infrared spectroscopy. *Alcohol, 44*(4), 351-357.
- Smith, R. C., Coyle, P. T., Baldner, C., Bray, B. C., & Geller, E. S. (Apr 2013). A field investigation of perceived behavioral control and blood alcohol content: A pattern-oriented approach. *Addictive Behaviors, 38*(4), 2080-2083.
- Starkey, N. J., & Charlton, S. G. (Jul 2014). The effects of moderate alcohol concentrations on driving and cognitive performance during ascending and descending blood alcohol concentrations. *Human Psychopharmacology: Clinical and Experimental, 29*(4), 370-383.
- Sutlovic D, Versic-Bratincevic M, & Definis-Gojanovic M. (2014). Blood alcohol stability in postmortem blood samples. *American Journal of Forensic Medicine & Pathology, 35*(1), 55-58.
- Torres, P., Romano, E., Voas, R. B., de la Rosa, M., & Lacey, J. H. (2014). The relative risk of involvement in fatal crashes as a function of race/ethnicity and blood alcohol concentration. *Journal of Safety Research, 48 Feb*, 95-101.
- van Zanten, E., van der Ploeg, T., van Hoof, J. J., & van der Lely, N. (Jul 2013). Gender, age, and educational level attribute to blood alcohol concentration in hospitalized intoxicated adolescents; A cohort study. *Alcoholism: Clinical and Experimental Research, 37*(7), 1188-1194.
- Watson, P. E., Watson, I. D., & Batt, R. D. (1981). Prediction of blood alcohol concentrations in human subjects. updating the widmark equation. *Journal of Studies on Alcohol, 42*(7), 547-556.

Wigmore, J. G. (2014). Absorption deficit and overshooting of the blood alcohol concentration. *Medicine, Science & the Law*, 54(4), 234.

Zuba, D. (2008). Accuracy and reliability of breath alcohol testing by handheld electrochemical analysers. *Forensic Science International*, 178(2-3), e29-33.

Zuba, D., & Piekoszewski, W. (2004). Uncertainty in theoretical calculations of alcohol concentration. *17th International Conference on Alcohol, Drugs and Traffic Safety (ICADTS)*, Glasgow, UK.