

References: Relapse and Relapse Prevention

- Adinoff, B., Junghanns, K., Kiefer, F., & KrishnanSarin, S. (2005). Suppression of the HPA axis stress-response: Implications for relapse. *Alcoholism: Clinical and Experimental Research, 29*(7), 1351-1355.
- Bennett, G. A., Withers, J., & Thomas, P. W. (2005). A randomized trial of early warning signs: Relapse prevention training in the treatment of alcohol dependence. *Addiction Research and Theory, 30*(6), 1111-1124.
- Bischof, G., Rumpf, H. J., Meyer, C., Hapke, U., & John, U. (2005). Gender differences in temptation to drink, self-efficacy to abstain and coping behavior in treated alcohol-dependent individuals: Controlling for severity of dependence. *Addiction Research & Theory, 13*(2), 129-136.
- Breese, G. R., Chu, K., Dayas, C. V., Funk, D., Knapp, D. J., Koob, G. F., Le, D. A., O'Dell, L. E., Overstreet, D. H., Roberts, A. J., Sinha, R., Valdez, G. R., & Weiss, F. (2005). Stress enhancement of craving during sobriety: A risk for relapse. *Alcoholism: Clinical and Experimental Research, 29*(2), 185-195.
- Clifford, P. R., Maisto, S. A., Stout, R. L., McKay, J. R., & Tonigan, J. S. (2006). Long-term posttreatment functioning among those treated for alcohol use disorders. *Alcoholism: Clinical and Experimental Research, 30*(2), 311-319.
- Cornelius, J. R., Maisto, S. A., Pollock, N. K., & et. al. (2003). Rapid relapse generally follows treatment for substance use disorders among adolescents. *Addictive Behaviors, 28*(2), 381-386.

- Cunningham, D. S., & Stone, W. E. (2005). Effects of a drug diversion court on client recidivism., 135-149.
- Daley, D. C., & Marlatt, G. A. (2005). Relapse prevention. In J. H. Lowinson, P. Ruiz, R. B. Millman & J. G. Langrod (Eds.), *Substance abuse: A comprehensive textbook* (4th ed., pp. 772-785). Philadelphia: Lippincott Williams and Wilkins.
- Daughters, S. B., Lejuez, C. W., Kahler, C. W., Strong, D. R., & Brown, R. A. (2005). Psychological distress tolerance and duration of most recent abstinence attempt among residential treatment-seeking substance abusers. *Psychology of Addictive Behaviors, 19*(2), 208-211.
- Davis, K. E., & O'Neill, S. J. (2005). A focus group analysis of relapse prevention strategies for persons with substance use and mental disorders. *Psychiatric Services, 56*(10), 1288-1291.
- Demmel, R., Nicolai, J., & Jenko, D. M. (2006). Self-efficacy and alcohol relapse: Concurrent validity of confidence measures, self-other discrepancies, and prediction of treatment outcome. *Journal of Studies on Alcohol, 67*(4), 637-641.
- Domino, K. B., Hornbein, T. F., & Polissar, N. L. (2005). Risk factors for relapse in health care professionals with substance use disorders. *Journal of the American Medical Association, 293*(12), 1453-1460.
- Donovan, D. M. (2005). Assessment of addictive behaviors for relapse prevention., 1-48.

- Drake, R. E., Wallach, M. A., & McGovern, M. P. (2005). Special section on relapse prevention: Future directions in preventing relapse to substance abuse among clients with severe mental illnesses. *Psychiatric Services, 56*(10), 1297-1302.
- ElGeili, E. S. S., & Bashir, T. Z. (2005). Precipitants of relapse among heroin addicts. *Addictive Disorders & their Treatment, 4*(1), 29-38.
- Falba, T., Teng, H., Sindelar, J. L., & Gallo, W. T. (2005). The effect of involuntary job loss on smoking intensity and relapse. *Addiction, 100*(9), 1330-1339.
- FormanHoffman, V., Riley, W., & Pici, M. (2005). Acute impact of the september 11 tragedy on smoking and early relapse rates among smokers attempting to quit. *Psychology of Addictive Behaviors, 19*(3), 277-283.
- Gal, K., & Gyertyan, I. (2006). Dopamine D3 as well as D2 receptor ligands attenuate the cue-induced cocaine-seeking in a relapse model in rats. *Drug and Alcohol Dependence, 81*(1), 63-70.
- Greenfield, S. F., Sugarman, D. E., Muenz, L. R., Patterson, M. D., He, D. Y., & Weiss, R. D. (2003). The relationship between educational attainment and relapse among alcohol-dependent men and women: A prospective study. *Alcoholism: Clinical and Experimental Research, 27*(8), 1278-1285.
- Harasymiw, J., Forster, I., & Bean, P. (2005). Using the EDAC test to monitor abstinence and relapses during outpatient treatment. *Journal of Addictive Diseases, 24*(3), 101-113.

- Hillemacher, T., Bayerlein, K., & Wilhelm, J. e. a. (2006). Recurrent detoxifications are associated with craving in patients classified as type 1 according to lesch's typology. *Alcohol and Alcoholism, 41*(1), 66-69.
- Humke, C., & Radnitz, C. L. (2005). An instrument for assessing coping with temptation: Psychometric properties of the alcohol abuse coping response inventory. *Substance Use & Misuse, 40*(1), 37-62.
- Ilgel, M., & Moos, R. (2005). Deterioration following alcohol-use disorder treatment in project MATCH. *Journal of Studies on Alcohol, , 517-525.*
- Junghanns, K., Tietz, U., & Dibbelt, L. (2005). Attenuated salivary cortisol secretion under cue exposure is associated with early relapse. *Alcohol and Alcoholism, 40*(1), 80-85.
- Kelly, M., Chick, J., Gribble, R., Gleeson, M., Holton, M., Winstanley, J., McCaughan, G. W., & Haber, P. S. (2006). Predictors of relapse to harmful alcohol after orthotopic liver transplantation. *Alcohol & Alcoholism, 41*(3), 278-283.
doi:10.1093/alcalc/agh257
- Kiefer, F., Helwig, H., Tarnaske, T., Otte, C., Jahn, H., & Wiedemann, K. (2005). Pharmacological relapse prevention of alcoholism: Clinical predictors of outcome. *European Addiction Research, 11*(2), 83-91.

- Krahn, D. D., Bohn, M. J., Henk, H. J., Grossman, J. L., & Gosnell, B. (2005). Patterns of urges during early abstinence in alcohol-dependent subjects. *The American Journal on Addictions, 14*(3), 248-255.
- Krampe, H., Stawicki, S., Wagner, T., Bartels, C., Aust, C., Ruther, E., Poser, W., & Ehrenreich, H. (2006). Follow-up of 180 alcoholic patients for up to 7 years after outpatient treatment: Impact of alcohol deterrents on outcome. *Alcoholism: Clinical and Experimental Research, 30*(1), 86-95.
- Lapham, S. C., Kapitula, L. R., C'de Baca, J., & McMillan, G. P. (2006). Impaired-driving recidivism among repeat offenders following an intensive court-based intervention. *Accident Analysis & Prevention, 38*(1), 162-169.
- Long, M. W., Cassidy, B. A., Sucher, M., & Stoehr, J. D. (2006). Prevention of relapse in the recovery of arizona health care providers. *Journal of Addictive Diseases, 25*(1), 65-72.
- Luchansky, B., He, L., Longhi, D., Krupski, A., & Stark, K. D. (2006). Treatment readmissions and criminal recidivism in youth following participation in chemical dependency treatment. *Journal of Addictive Diseases, 25*(1), 87-94.
- Matto, H. (2005). A bio-behavioral model of addiction treatment: Applying dual representation theory to craving management and relapse prevention. *Substance Use & Misuse, 40*(4), 529-541.

- McCarthy, D. M., Tomlinson, K. L., Anderson, K. G., Marlatt, G. A., & Brown, S. A. (2005). Relapse in alcohol- and drug-disordered adolescents with comorbid psychopathology: Changes in psychiatric symptoms. *Psychology of Addictive Behaviors, 19*(1), 28-34.
- McGovern, M. P., Wrisley, B. R., & Drake, R. E. (2005). Relapse of substance use disorder and its prevention among persons with co-occurring disorders. *Psychiatric Services, 56*(10), 1270-1273.
- McKay, J. R., Franklin, T. R., Patapis, N., & Lynch, K. G. (2006). Conceptual, methodological, and analytical issues in the study of relapse. *Clinical Psychology Review, 26*(2), 109-127.
- Medioni, J., Berlin, I., & Mallet, A. (2005). Increased risk of relapse after stopping nicotine replacement therapies: A mathematical modeling approach. *Addiction, 100*(2), 247-254.
- Mertens, J. R., Weisner, C. M., & Ray, G. T. (2005). Readmission among chemical dependency patients in private, outpatient treatment: Patterns, correlates and role in long-term outcome. *Journal of Studies on Alcohol, 66*(6), 842-847.
- Moos, R. H., & Moos, B. S. (2006). Rates and predictors of relapse after natural and treated remission from alcohol use disorders. *Addiction, 101*(2), 212-222.
doi:10.1111/j.1360-0443.2006.01310.x

- Prochaska, J. J., Fletcher, L., Hall, S. E., & Hall, S. M. (2006). Return to smoking following a smoke-free psychiatric hospitalization. *The American Journal on Addictions, 15*(1), 15-22.
- Ramo, D. E., Anderson, K. G., Tate, S. R., & Brown, S. A. (2005). Characteristics of relapse to substance use in comorbid adolescents. *Addictive Behaviors, 30*(9), 1811-1823. doi:10.1016/j.addbeh.2005.07.021
- Rodd, Z. A., Anstrom, K. K., Knapp, D. J., Racz, , Zimmer, A., Serra, S., Bell, R. L., Woodward, D. J., Breese, G. R., & Colombo, G. (2005). Factors mediating alcohol craving and relapse: Stress, compulsivity, and genetics. *Alcoholism: Clinical and Experimental Research, 29*(7), 1325-1333.
- Rollins, A. L., O'Neill, S. J., Davis, K. E., & Devitt, T. S. (2005). Special section on relapse prevention: Substance abuse relapse and factors associated with relapse in an inner-city sample of patients with dual diagnoses. *Psychiatric Services, 56*(10), 1274-1281.
- Rukstalis, M., Jepson, C., Patterson, F., & Lerman, C. (2005). Increases in hyperactive-impulsive symptoms predict relapse among smokers in nicotine replacement therapy. *Journal of Substance Abuse Treatment, 28*(4), 297-304.
- Scott, C. K., Dennis, M. L., & Foss, M. A. (2005). Utilizing recovery management checkups to shorten the cycle of relapse, treatment reentry, and recovery. *Drug and Alcohol Dependence, 78*(3), 325-338.

- Scott, C. K., Foss, M. A., & Dennis, M. L. (2005). Pathways in the relapse--treatment--recovery cycle over 3 years. *Journal of Substance Abuse Treatment, 28*(Suppl1), S63-S72.
- Segan, C. J., Borland, R., & Greenwood, K. M. (2006). Can transtheoretical model measures predict relapse from the action stage of change among ex-smokers who quit after calling a quitline? *Addictive Behaviors, 31*(3), 414-428.
- Shanahan, C. W., Lincoln, A., Horton, N. J., Saitz, R., Winter, M., & Samet, J. H. (2005). Relationship of depressive symptoms and mental health functioning to repeat detoxification. *Journal of Substance Abuse Treatment, 29*(2), 117-123.
- Shiffman, S. (2006). Reflections on smoking relapse research. *Drug and Alcohol Review, 25*(1), 15-20.
- Siahpush, M., & Carlin, J. B. (1). Financial stress, smoking cessation and relapse: Results from a prospective study of an australian national sample. *Addiction, 101*(1), 121-127.
- Smyth, N. J., & Wiechelt, S. A. (2005). Drug use, self-efficacy, and coping skills among people with concurrent substance abuse and personality disorders: Implications for relapse prevention. *Journal of Social Work Practice in the Addictions, 5*(4), 63-79.
- Stevens, P. (2005). Sustaining behavior change: Relapse prevention strategies. In P. Stevens, & R. L. Smith (Eds.), *Substance abuse counseling: Theory and practice* (3rd ed., pp. 291-313). Upper Saddle River, NJ: Pearson Education.

- Strasser, A. A., Kaufmann, V., Jepson, C., Perkins, K. A., Pickworth, W. B., Wileyto, E. P., Rukstalis, M., AudrainMcGovern, J., & Lerman, C. (2005). Effects of different nicotine replacement therapies on postcessation psychological responses. *Addictive Behaviors, 30*(1), 9-17.
- Tims, F. M., Leukefeld, C. G., & Platt, J. J. (2001). Relapse and recovery in addictions. (2001). *Relapse and Recovery in Addictions. Xii, 420 Pp .New Haven, CT, US: Yale University Press,*
- Tomlinson, K. L., Tate, S. R., Anderson, K. G., McCarthy, D. M., & Brown, S. A. (2006). An examination of self-medication and rebound effects: Psychiatric symptomatology before and after alcohol or drug relapse. *Addictive Behaviors, 31*(3), 461-474.
- Tucker, J. A., Foushee, H. R., Black, B. C., & Roth, D. L. (2007). Agreement between prospective interactive voice response self-monitoring and structured retrospective reports of drinking and contextual variables during natural resolution attempts. *Journal of Studies on Alcohol and Drugs, 68*(4), 538-542.
- Turkcapar, H., Kose, S., Ince, A., & Myrick, H. (2005). Beliefs as a predictor of the relapse in alcohol-dependent Turkish men. *Journal of Studies on Alcohol, 66*(6), 848-851.
- Wellman, R. J., DiFranza, J. R., Savageau, J. A., Godiwala, S., Savageau, N., Friedman, K., & Hazelton, J. (2006). The effect of abstinence on cigarette consumption upon the resumption of smoking. *Addictive Behaviors, 31*(4), 711-716.

Witkiewitz, K. (2005). Defining relapse from a harm reduction perspective., 191-206.

Witkiewitz, K., & Marlatt, G. A. (2005). Emphasis on interpersonal factors in a dynamic model of relapse. *American Psychologist, 60*(4), 341-342.

Xie, H., McHugo, G. J., Fox, M. B., & Drake, R. E. (2005). Substance abuse relapse in a ten-year prospective follow-up of clients with mental and substance use disorders. *Psychiatric Services, 56*(10), 1282-1287.

Zironi, I., Burattini, C., Aicardi, G., & Janak, P. H. (2006). Context is a trigger for relapse to alcohol. *Behavioural Brain Research, 167*(1), 150-155.

Zywiak, W. H., Stout, R. L., Trefry, W. B., LaGrutta, J. E., Lawson, C. C., Khan, N., Swift, R. M., & Schneider, R. J. (2003). Alcohol relapses associated with September 11, 2001: A case report. *Substance Abuse, 24*(2), 123-128.