

Standard Drink

- 2010 dietary guidelines for americans. (2011). *Food Technology*, 65(4), 12-12.
- Banwell, C. (1999). How many standard drinks are there in a glass of wine? *Drug & Alcohol Review*, 18(1), 99-101. doi:10.1080/09595239996815
- Boniface, S., Kneale, J., & Shelton, N. (2013). Actual and perceived units of alcohol in a self-defined 'usual glass' of alcoholic drinks in england. *Alcoholism: Clinical & Experimental Research*, 37(6), 978-983. doi:10.1111/acer.12046
- Brick, J. (2006). Standardization of alcohol calculations in research. *Alcoholism: Clinical and Experimental Research*, 30(8), 1276-1287. doi:10.1111/j.1530-0277.2006.00155.x
- Carruthers, S. J., & Binns, C. W. (1992). The standard drink and alcohol consumption. *Drug and Alcohol Review*, 11(4), 363-370.
- Cooper, D. B. (1999). What is a 'standard drink'? ICAP report 5. *Journal of Substance use*, 4(2), 67-69.
- Dawson, D. A., & Grant, B. F. (2011). The "gray area" of consumption between moderate and risk drinking. *Journal of Studies on Alcohol & Drugs*, 72(3), 453-458.
- DE VISSER, R.,O., & BIRCH, J. D. (2012). My cup runneth over: Young people's lack of knowledge of low-risk drinking guidelines. *Drug & Alcohol Review*, 31(2), 206-212. doi:10.1111/j.1465-3362.2011.00371.x
- Devos-Comby, L., & Lange, J. E. (2008). "My drink is larger than yours"? A literature review of self-defined drink sizes and standard drinks. *Current Drug Abuse Reviews*, 1(2), 162-176.

DiLoreto, J. T., Siegel, M., Hinchey, D., Valerio, H., Kinzel, K., Lee, S., . . . DeJong, W.

(2012). Assessment of the average price and ethanol content of alcoholic beverages by brand- united states, 2011. *Alcoholism: Clinical & Experimental Research*, 36(7), 1288-1297. doi:10.1111/j.1530-0277.2011.01721.x

Geller, E. S., Russ, N. W., & Altomari, M. G. (1986). Naturalistic observations of beer drinking among college students. *Journal of Applied Behavior Analysis*, 19(4), 391-396.

Gill, J. S., & Donaghy, M. (2004). Variation in the alcohol content of a 'drink' of wine and spirit poured by a sample of the scottish population. *Health Education Research*, 19(5), 485-491.

Grønbaek, M., & Heitmann, B. (1996). Validity of self-reported intakes of wine, beer and spirits in population studies. *European Journal of Clinical Nutrition*, 50(7), 487-490.

Gual, A., Martos, A. R., Lligoña, A., & Llopis, J. J. (1999). Does the concept of a standard drink apply to viticultural societies? *Alcohol and Alcoholism*, 34(2), 153-160. doi:10.1093/alcalc/34.2.153

Harding, R., & Stockley, C. S. (2007). Communicating through government agencies. *Annals of Epidemiology*, 17(5, Supplement), S98-S102.

doi:<http://dx.doi.org/10.1016/j.annepidem.2007.01.022>

Hawks, D. (1999). Not much to ask for, really! the introduction of standard drink labelling in australia. *Addiction*, 94(6), 801-811. doi:10.1080/09652149933270

Henderson, Y., & Rush, B. (1934). *A new deal in liquor, a plea for dilution* Doubleday, Doran & company, inc.

Horverak, Ø. (2012). Does norwegian alcohol policy favour lower alcohol content beverages? A historical overview. *Nordic Studies on Alcohol and Drugs*, 29(1), 7-n/a. doi:<http://dx.doi.org/10.2478/v10199-012-0002-2>

How much alcohol is in my drink? Retrieved from <http://www.livescience.com/32735-how-much-alcohol-is-in-my-drink.html>

International drinking guidelines. Retrieved from <http://www.icap.org/table/Internationaldrinkingguidelines>

JONES, S. C., & GREGORY, P. (2009). The impact of more visible standard drink labelling on youth alcohol consumption: Helping young people drink (ir)responsibly? *Drug & Alcohol Review*, 28(3), 230-234. doi:10.1111/j.1465-3362.2008.00020.x

Kerr, W. C., Greenfield, T. K., & Midanik, L. T. (2006). How many drinks does it take you to feel drunk? trends and predictors for subjective drunkenness. *Addiction*, 101(10), 1428-1437. doi:10.1111/j.1360-0443.2006.01533.x

Kerr, W. C., Greenfield, T. K., & Tujague, J. (2006). Estimates of the mean alcohol concentration of the spirits, wine, and beer sold in the united states and per capita consumption: 1950 to 2002. *Alcoholism: Clinical & Experimental Research*, 30(9), 1583-1591. doi:10.1111/j.1530-0277.2006.00190.x

KERR, W. C., PATTERSON, D., KOENEN, M. A., & GREENFIELD, T. K. (2009). Large drinks are no mistake: Glass size, not shape, affects alcoholic beverage drink pours. *Drug and Alcohol Review*, 28(4), 360-365. doi:10.1111/j.1465-3362.2009.00056.x

Kerr, W. C., Patterson, D., Koenen, M. A., & Greenfield, T. K. (2008). Alcohol content variation of bar and restaurant drinks in northern california. *Alcoholism: Clinical and Experimental Research*, 32(9), 1623-1629. doi:10.1111/j.1530-0277.2008.00741.x

- KERR, W. C., & STOCKWELL, T. (2012). Understanding standard drinks and drinking guidelines. *Drug and Alcohol Review, 31*(2), 200-205. doi:10.1111/j.1465-3362.2011.00374.x
- Kidorf, M., Sherman, M. F., Johnson, J. G., & Bigelow, G. E. (1995). Alcohol expectancies and changes in beer consumption of first-year college students. *Addictive Behaviors, 20*(2), 225-231.
- Lemmens, P., Tan, E., & Knibbe, R. (1992). Measuring quantity and frequency of drinking in a general population survey: A comparison of five indices. *Journal of Studies on Alcohol and Drugs, 53*(5), 476.
- Lemmens, P. H. (1994). The alcohol content of self-report and 'standard' drinks. *Addiction, 89*(5), 593-601.
- Logan, B. K., Case, G. A., & Distefano, S. (1999). Alcohol content of beer and malt beverages: Forensic consideration. *Journal of Forensic Sciences, 44*(6), 1292-1295.
- Marshall, T. A. (2011). Dietary guidelines for americans, 2010. *Journal of the American Dental Association (JADA), 142*(6), 654-656.
- Martin, C. S., & Nirenberg, T. D. (1991). Alcohol content variation in the assessment of alcohol consumption. *Addictive Behaviors, 16*(6), 555-560.
doi:[http://dx.doi.org/10.1016/0306-4603\(91\)90064-O](http://dx.doi.org/10.1016/0306-4603(91)90064-O)
- Miller, W. R., Heather, N., & Hall, W. (1991). Calculating standard drink units: International comparisons. *British Journal of Addiction, 86*(1), 43-47.
- Panel discussion V: The message on moderate drinking. (2007). *Annals of Epidemiology, 17*, S110-S111. doi:10.1016/j.annepidem.2007.01.025

- Pauly, P. J. (1994). Is liquor intoxicating? scientists, prohibition, and the normalization of drinking. *American Journal of Public Health, 84*(2), 305-313.
- PONICKI, W., HOLDER, H. D., GRUENEWALD, P. J., & ROMELSJÖ, A. (1997). Altering alcohol price by ethanol content: Results from a swedish tax policy in 1992. *Addiction, 92*(7), 859-870. doi:10.1111/j.1360-0443.1997.tb02955.x
- Sanchez-Craig, M., Wilkinson, A., & Davila, R. (1995). Empirically based guidelines for moderate drinking: 1-year results from three studies with problem drinkers. *American Journal of Public Health, 85*(6), 823-828.
- Stockwell, T., BLAZE-TEMPLE, D., & WALKER, C. (1991). A test of the proposal to label containers of alcoholic drink with alcohol content in standard drinks. *Health Promotion International, 6*(3), 207-215.
- Stockwell, T., Donath, S., Cooper-Stanbury, M., Chikritzhs, T., Catalano, P., & Mateo, C. (2004). Under-reporting of alcohol consumption in household surveys: A comparison of quantity–frequency, graduated–frequency and recent recall. *Addiction, 99*(8), 1024-1033. doi:10.1111/j.1360-0443.2004.00815.x
- Stockwell, T., & Stirling, L. (1989). Estimating alcohol content of drinks: Common errors in applying the unit system. *BMJ: British Medical Journal (International Edition), 298*(6673), 571.
- Thoughts on the new dietary guidelines from beer business daily. Retrieved from <http://brookstonbeerbulletin.com/thoughts-on-the-new-dietary-guidelines-from-beer-business-daily/>
- Turner, C. (1990). How much alcohol is in a 'standard drink'? an analysis of 125 studies. *British Journal of Addiction, 85*(9), 1171-1175.

White, A. M., Kraus, C. L., Flom, J. D., Kestenbaum, L. A., Mitchell, J. R., Shah, K., & Swartzwelder, H. S. (2005). College students lack knowledge of standard drink volumes: Implications for definitions of risky drinking based on survey data. *Alcoholism: Clinical and Experimental Research, 29*(4), 631-638.
doi:10.1097/01.ALC.0000158836.77407.E6

White, A. M., Kraus, C. L., McCracken, L. A., and, & Scott Swartzwelder, H. (2003). Do college students drink more than they think? use of a free-pour paradigm to determine how college students define standard drinks. *Alcoholism: Clinical & Experimental Research, 27*(11), 1750-1756.

William, C. K. (2005). A drink is A drink? variation in the amount of alcohol contained in beer, wine and spirits drinks in a US methodological sample. *Alcoholism: Clinical & Experimental Research, 29*(11), 2015-2021.