

Treatment Outcome Studies

- Adamson, S.J., Sellman, J.D. and Dore, G.M. (2005). **Therapy preference and treatment outcome in clients with mild to moderate alcohol dependence.** *Drug and Alcohol Review* 24(3): 209-216.
- Babor, T. F., Steinberg, K., Zweben, A., Cisler, R., Stout, R., Tonigan, J. S., Anton, R. F. and Allen, J. P. 2003. **Treatment effects across multiple dimensions of outcome.** Chap. 9, pp. 150-165. In: Babor, T. F. and Del Boca, F. K., eds. *Treatment matching in alcoholism.* xvi + 275 pp. Cambridge, UK; Cambridge University Press.
- Bottlender, M. and Soyka, M. (2005). **Outpatient alcoholism treatment: predictors of outcome after 3 years.** *Drug and Alcohol Dependence* 80(1): 83-89.
- Brown, S. A. and D'Amico, E. J. (2003). **Outcomes of alcohol treatment for adolescents .** Chap. 17, pp. 289-312. In: Galanter, M, ed. *Recent developments in alcoholism. Volume 16. Research on alcoholism treatment.* xxiv + 438 pp. New York; Kluwer Academic/Plenum Publishers.
- Burleson, J.A. and Kaminer, Y. (2005). **Self-efficacy as a predictor of treatment outcome in adolescent substance use disorders.** *Addictive Behaviors* 30(9): 1751-1764.
- Burns, L., Teesson, M. and O'Neill, K. (2005). **The impact of comorbid anxiety and depression on alcohol treatment outcomes** *Addiction* 100(6): 787-796.
- Cacciola, J.S., Dugosh, K., Foltz, C., Leahy, P. and Stevens, R. (2005). **Treatment outcomes: first time versus treatment-experienced clients.** *Journal of Substance Abuse Treatment* 28(Suppl. 1): S13-S22.
- Carroll, K.M., Ball, S.A., Nich, C., et al. (2006). **Motivational interviewing to improve treatment engagement and outcome in individuals seeking treatment for substance abuse: a multisite effectiveness study.** *Drug and Alcohol Dependence* 81(3): 301-312.
- Chen, S., Barnett, P.G., Sempel, J.M. and Timko, C. (2006). **Outcomes and costs of matching the intensity of dual-diagnosis treatment to patients' symptom severity.** *Journal of Substance Abuse Treatment* 31(1): 95-105.
- Cisler, R.A., Kivlahan, D.R., Donovan, D. and Mattson, M.E. (2005). **Assessing nondrinking outcomes in combined pharmacotherapy and psychotherapy clinical trials for the treatment of alcohol dependence.** *Journal of Studies on Alcohol* (Suppl. 15): 110-118.
- Connors, G. J., Miller, W. R., Anton, R. F. and Tonigan, J. S. (2003). **Clinical assessment: measuring matching characteristics and treatment outcomes.** Chap. 3, pp. 29-41. In: Babor, T. F. and Del Boca, F. K., eds. *Treatment matching in alcoholism.* xvi + 275 pp. Cambridge, UK; Cambridge University Press.

- Dearing, R.L., Barrick, C., Dermen, K.H. and Walitzer, K.S. (2005). **Indicators of client engagement: influences on alcohol treatment satisfaction and outcomes.** *Psychology of Addictive Behaviors* 19(1): 71-78.
- Demmel, R. and Rist, F. (2005). **Prediction of treatment outcome in a clinical sample of problem drinkers: self-efficacy and coping style.** *Addictive Disorders and Their Treatment* 4(1): 5-10.
- Donovan, D., Mattson, M.E., Cisler, R.A., Longabaugh, R. and Zweben, A. (2005). **Quality of life as an outcome measure in alcoholism treatment research.** *Journal of Studies on Alcohol* (Suppl. 15): 119-139.
- Eliason, M.J. and Amodia, D.S. (2006). **A descriptive analysis of treatment outcomes for clients with co-occurring disorders: the role of minority identifications.** *Journal of Dual Diagnosis* 2(2): 89-109.
- Friend, K.B. and Pagano, M.E. (2005). **Changes in cigarette consumption and drinking outcomes: findings from Project MATCH .** *Journal of Substance Abuse Treatment* 29(3): 221-229.
- Gossop, M. (2008). **The clinical fallacy and treatment outcomes.** *Addiction*, 103(1), 89-90.
- Higgins, S. T. (2006). **Extending contingency management to the treatment of methamphetamine use disorders.** *American Journal of Psychiatry*, 163(11), 1870-1872.
- Grella, C.E., Hser, Y.-I., Teruya, C. and Evans, E. (2005). **How can research-based findings be used to improve practice? Perspectives from participants in a statewide outcomes monitoring study.** *Journal of Drug Issues* 35(3): 469-484.
- Grella, C.E., Scott, C.K. and Foss, M.A. (2005). **Gender differences in long-term drug treatment outcomes in Chicago PETS .** *Journal of Substance Abuse Treatment* 28(Suppl. 1): S3-S12.
- Heather, N. and Dawe, S. (2005). **Level of impaired control predicts outcome of moderation-oriented treatment for alcohol problems.** *Addiction* 100(7): 945-952.
- Hser, Y.-I., Evans, E. and Huang, Y.-C. (2005). **Treatment outcomes among women and men methamphetamine abusers in California.** *Journal of Substance Abuse Treatment* 28(1): 77-85.
- Hubbard, R.L. (2005). **Evaluation and outcome of treatment.** Chap. 52, pp. 786-804. In: Lowinson, J.H., Ruiz, P., Millman, R.B. and Langrod, J.G., eds. *Substance abuse: a comprehensive textbook*. 4 th ed. xxiv + 1421 pp. Philadelphia; Lippincott Williams and Wilkins.
- Ilgen, M., Tiet, Q., Finney, J. and Moos, R.H. (2006). **Self-efficacy, therapeutic alliance, and alcohol-use disorder treatment outcomes.** *Journal of Studies on Alcohol* 67(3): 465-472.

Jainchill, N., Hawke, J. and Messina, M. (2005). **Post-treatment outcomes among adjudicated adolescent males and females in modified therapeutic community treatment.** *Substance Use and Misuse* 40(7): 975-996.

Johnson, J.E., Finney, J.W. and Moos, R.H. (2006). **End-of-treatment outcomes in cognitive behavioral treatment and 12-step substance use treatment programs: do they differ and do they predict 1-year outcomes?** *Journal of Substance Abuse Treatment* 31(1): 41-50.

Karno, M.P. and Longabaugh, R. (2005). **Less defectiveness by therapists improves drinking outcomes of reactant clients in alcoholism treatment.** *Journal of Consulting and Clinical Psychology* 73(2): 262-267.

Kelly, J.F., Myers, M.G. and Brown, S.A. (2005). **The effects of age composition of 12-step groups on adolescent 12-step participation and substance use outcomes.** *Journal of Child and Adolescent Substance Abuse* 15(1): 63-72.

Krampe, H., Stawicki, S., Wagner, T., et al. (2006). **Follow-up of 180 alcoholic patients for up to 7 years after outpatient treatment: impact of alcohol deterrents on outcome.** *Alcoholism-Clinical and Experimental Research* 30(1): 86-95.

Larimer, M. E., Lee, C. M., Kilmer, J. R., Fabiano, P. M., Stark, C. B., Geisner, I. M., et al. (2007). **Personalized mailed feedback for college drinking prevention: A randomized clinical trial.** *Journal of Consulting and Clinical Psychology*, 75(2), 285-293.

Lewis, M.W. and Petry, N.M. (2005). **Contingency management treatments that reinforce completion of goal-related activities: participation in family activities and its association with outcomes.** *Drug and Alcohol Dependence* 79(2): 267-271.

Magura, S., Fong, C. Staines, G.L., Cleland, C., Foote, J., Rosenblum, A., Kosanke, N. and DeLuca, A. (2005). **The combined effects of treatment intensity, self-help groups and patient attributes on drinking outcomes.** *Journal of Psychoactive Drugs* 37(1): 87-92.

Maisto, S.A., Zywiak, W.H. and Connors, G.J. (2006). **Course of functioning 1 year following admission for treatment of alcohol use disorders.** *Addictive Behaviors* 31(1): 69-79.

Marshall, J.P., Kimball, T.G., Shumway, S.T. et al. (2005). **Outcomes of a structured family group in an outpatient alcohol/other drug treatment setting.** *Alcoholism Treatment Quarterly* 23(4): 39-53.

McCullum, E.E., Nelson, T.S., Lewis, R.A. and Trepper, T.S. (2005). **Partner relationship quality and drug use as predictors of women's substance abuse treatment outcome.** *American Journal of Drug and Alcohol Abuse* 31(1): 111-127.

McFarland, B.H., McCamant, L.E. and Barron, N.M. (2005). **Outcomes for clients of public substance abuse treatment programs before and after Medicaid managed care.** *Journal of Substance Abuse Treatment* 28(2): 149-157.

McKay, J.R., Foltz, C., Stephens, R.C., Leahy, P.J., Crowley, E.M. and Kissin, W. (2005). **Predictors of alcohol and crack cocaine use outcomes over a 3-year follow-up in treatment seekers.** *Journal of Substance Abuse Treatment* 28(Suppl. 1): S73-S82.

McKee, S.A., O'Malley, S.S., Salovey, P., Krishnan-Sarin, S. and Mazure, C.M. (2005). **Perceived risks and benefits of smoking cessation: gender-specific predictors of motivation and treatment outcome.** *Addictive Behaviors* 30(3): 423-435.

McKellar, J.D., Harris, A.H. and Moos, R.H. (2006). **Predictors of outcomes for patients with substance-use disorders five years after treatment dropout.** *Journal of Studies on Alcohol* 67(5): 685-693.

McLellan, A. T. (2003). **The outcomes movement in addiction treatment: comments and cautions** . Chap. 10, pp. 157-179. In: Sorensen, J. L., Rawson, R. A., Guydish, J. and Zweben, J. E., eds . *Drug abuse treatment through collaboration: practice and research partnerships that work* . xxii + 326 pp. Washington; American Psychological Association.

Mertens, J.R., Weisner, C.M. and Ray, G.T. (2005). **Readmission among chemical dependency patients in private, outpatient treatment: patterns, correlates and role in long-term outcome.** *Journal of Studies on Alcohol* 66(6): 842-847.

Messina, N., Burdon, W., Hagopian, G. and Prendergast, M. (2006). **Predictors of prison-based treatment outcomes: a comparison of men and women participants.** *American Journal of Drug and Alcohol Abuse* 32(1): 7-28.

Miller, W.R., LoCastro, J.S., Longabaugh, R., O'Malley, S. and Zweben, A. (2005). **When worlds collide: blending the divergent traditions of pharmacotherapy and psychotherapy outcome research.** *Journal of Studies on Alcohol* (Suppl. 15): 17-23.

Miller, W.R., Wilbourne, P.L. and Hettema, J.E. (2003). **What works? A summary of alcohol treatment outcome research.** Chap. 2, pp. 13-63. In: Hester, R.K. and Miller, W.R., eds . *Handbook of alcoholism treatment approaches: effective alternatives*. 3d ed. xv + 301 pp. Boston; Allyn and Bacon.

Moran, G.E. and McKay, J.R. (2005). **Studying treatments and outcomes over time in substance abusers: Persistent Effects of Treatment Studies (PETS).** *Journal of Substance Abuse Treatment* 28(Suppl. 1): S1-S2.

Najavits, L.M., Schmitz, M., Gotthardt, S. and Weiss, R.D. (2005). **Seeking safety plus exposure therapy: an outcome study on dual diagnosis men.** *Journal of Psychoactive Drugs* 37(4): 425-435.

Oslin, D.W., Slaymaker, V.J., Blow, F.C., Owen, P.L. and Colleran, C. (2005). **Treatment outcomes for alcohol dependence among middle-aged and older adults.** *Addictive Behaviors* 30(7): 1431-1436.

- Pirard, S., Sharon, E., Kang, S.K., Angarita, G.A. and Gastfriend, D.R. (2005). **Prevalence of physical and sexual abuse among substance abuse patients and impact on treatment outcomes.** *Drug and Alcohol Dependence* 78(1): 57-64.
- Rask, M.B., Jorgensen, T., Jensen, J.P. et al. (2006). **Influence of pretreatment coping strategies on the outcome of outpatient treatment of Danish alcohol abusers.** *European Addiction Research* 12(2): 83-90.
- Rohsenow, D.J., Martin, R.A. and Monti, P.M. (2005). **Urge-specific and lifestyle coping strategies of cocaine abusers: relationships to treatment outcomes.** *Drug and Alcohol Dependence* 78(2): 211-219.
- Roll, J. M., Petry, N. M., Stitzer, M. L., Brecht, M. L., Peirce, J. M., McCann, M. J., et al. (2006). **Contingency management for the treatment of methamphetamine use disorders.** *American Journal of Psychiatry*, 163(11), 1993-1999.
- Roll, J.M., Prendergast, M., Richardson, K., Burdon, W. and Ramirez, A. (2005). **Identifying predictors of treatment outcome in a drug court program.** *American Journal of Drug and Alcohol Abuse* 31(4): 641-656.
- Sakai, J.T., Milkulich-Gilbertson, S.K. and Crowley, T.J. (2006). **Adolescent inhalant use among male patients in treatment for substance and behavior problems: two-year outcome.** *American Journal of Drug and Alcohol Abuse* 32(1): 29-40.
- Slesnick, N. and Prestopnik, J.L. (2005). **Ecologically based family therapy outcome with substance abusing runaway adolescents.** *Journal of Adolescence* 28(2): 277-298.
- Sterling, S. and Weisner, C. (2005). **Chemical dependency and psychiatric services for adolescents in private managed care: implications for outcomes.** *Alcoholism-Clinical and Experimental Research* 29(5): 801-809.
- Suh, J. J., Ruffins, S., Robins, C. E., Albanese, M. J., & Khantzian, E. J. (2008). **Self-medication hypothesis: Connecting affective experience and drug choice.** *Psychoanalytic Psychology*, 25(3), 518-532.
- Sun, A-P. (2006). **Program factors related to women's substance abuse treatment retention and other outcomes: a review and critique.** *Journal of Substance Abuse Treatment* 30(1): 1-20.
- Tait, R.J., Hulse, G.K., Robertson, S.I. and Sprivulis, P.C. (2005). **Emergency department-based intervention with adolescent substance users: 12-month outcomes.** *Drug and Alcohol Dependence* 79(3): 359-363.
- Tate, S.R., McQuaid, J.R. and Brown, S.A. (2005). **Characteristics of life stressors predictive of substance treatment outcomes.** *Journal of Substance Abuse Treatment* 29(2): 107-115.

Teesson, M., Havard, A., Ross, J. and Darke, S. (2006). **Outcomes after detoxification for heroin dependence: findings from the Australian Treatment Outcome Study (ATOS).** *Drug and Alcohol Review* 25(3): 241-247.

Tracy, S.W., Kelly, J.F. and Moos, R.H. (2005). **The influence of partner status, relationship quality and relationship stability on outcomes following intensive substance-use disorder treatment.** *Journal of Studies on Alcohol* 66(4): 497-505.

Weiss, R.D., Griffin, M.L., Gallop, R.J., et al. (2005). **The effect of 12-step self-help group attendance and participation on drug use outcomes among cocaine-dependent patients.** *Drug and Alcohol Dependence* 77(2): 177-184.

Weithmann, G. and Hoffmann, M. (2005). **A randomized clinical trial of in-patient versus combined day hospital treatment of alcoholism: primary and secondary outcome measures.** *European Addiction Research* 11(4): 197-203, 2005.

Williamson, A., Darke, S., Ross, J. and Teesson, M. (2006). **The effect of persistence of cocaine use on 12-month outcomes for the treatment of heroin dependence.** *Drug and Alcohol Dependence* 81(3): 293-300.